

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	301	(creat\$3 or inject\$3) with Proxies	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/29 12:16
S2	579	(replac\$5 or subtitut\$3) with prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 17:05
S3	52	S1 and S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 17:05
S4	4917	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 13:18
S5	0	("l2andl4").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 17:11
S6	63	S2 and S4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 17:14
S7	37	S1 and S4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 17:15
S8	9264	client\$1 adj1 application\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 17:33
S9	94	S1 and S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:03
S10	6175	rmi or rpc	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:04
S11	376	S4 and S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:04
S12	17	S1 and S11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:04

S13	3	cache adj1 remote adj1 object\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:14
S14	7	(client adj1 runtime) with (server adj1 runtime)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:23
S15	7	cache adj1 data adj1 proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:25
S16	497	proxy adj1 client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:26
S17	69	S4 and S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:29
S18	0	(creat\$3 or inject\$3) with (prox\$3 adj1 into adj1 client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:30
S19	31	(creat\$3 or inject\$3) with (prox\$3 adj1 client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:34
S20	7	"6385661"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 18:34
S21	303	(creat\$3 or inject\$3) with Proxies	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 13:18
S22	106	rpc and S21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 13:18
S23	4927	(709/203).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 13:18
S24	14	S22 and S23	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:22
S25	38	(replac\$3 or substitut\$3 or convert\$3) with (call\$1 with(remote adj1 object\$1) or (local adj1 object\$1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:27

S26	1	(replac\$3 or substitut\$3 or convert\$3) with ((call\$1 adj1 remote adj1 object\$1) or (call\$1 adj1 local adj1 object\$1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:28
S27	1301	(replac\$3 or substitut\$3 or convert\$3) with ((call\$1 adj1 remote adj1 object\$1) or (call\$1 adj1 local adj1 object\$1) or proxy or proxies)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:28
S28	0	(creat\$3 or inject\$3) with (proxies adj1 client adj1 application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:29
S29	1	(creat\$3 or inject\$3) with (proxies adj1 client)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:30
S30	1807	(creat\$3 or inject\$3) with (proxies or proxy)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:30
S31	398	S27 and S30	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:31
S32	48	S23 and S31	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:43
S33	4306	rpc	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:44
S34	236	S30 and S33	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:44
S35	60	S27 and S34	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 13:47
S36	2461	(709/203).CCLS.	USPAT	OR	OFF	2004/12/27 14:02
S37	699	(creat\$3 or inject\$3) with (proxies or proxy)	USPAT	OR	OFF	2004/12/27 14:03
S38	93	S36 and S37	USPAT	OR	OFF	2004/12/27 14:17
S39	4329	(707/10).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 14:17
S40	69	S37 and S39	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 14:43
S41	0	reduce adj1 roundtrip adj1 time	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 14:19
S42	1	reduc\$3 adj1 roundtrip adj1 time	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 14:19

S43	60	"5732270"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 14:44
S44	69	"5724588"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/27 14:44
S45	7	(client adj1 runtime) with (server adj1 runtime)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 15:36
S46	303	(creat\$3 or inject\$3) with Proxies	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 15:36
S47	3	S45 and S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 15:36
S48	1	((creat\$3 adj1 proxy) or (inject\$3 adj1 proxy)) with (client adj1 application)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 19:28
S49	12	((creat\$3 adj1 proxy) or (inject\$3 adj1 proxy)) same (client adj1 application)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 19:43
S50	303	(creat\$3 or inject\$3) with Proxies	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/27 19:47
S51	5	(inject\$3 adj1 prox\$3) same (application or program or class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:23
S52	30	((inject\$3 or insert\$3 or add\$3) adj1 prox\$3) same (application or program or class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:23
S53	2	rpc and S52	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:25
S54	37	(replac\$3 or substitut\$3 or Proxy) with (local adj1 call)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:33
S55	0	S52 and S54	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:27

S56	1870	(709/238).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/28 16:32
S57	3	S52 and S56	US-PGPUB; USPAT	OR	OFF	2004/12/28 16:32
S58	15451	(replac\$3 or substitut\$3 or Proxy) with (proxy)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:33
S59	277	S56 and S58	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:34
S60	499	proxy adj1 client	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:34
S61	10	S59 and S60	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 16:40
S62	0	(707/103).CCLS.	USPAT	OR	OFF	2004/12/28 16:41
S63	3941	(707/200-206).CCLS.	USPAT	OR	OFF	2004/12/28 16:41
S64	2580	(creat\$3 or inject or insert\$3 or add\$3) with (proxy or proxies)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 16:42
S65	53	S63 and S64	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:17
S66	34	"5793965"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:22
S67	0	S52 and S66	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:22
S68	45	"5787413"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:23
S69	0	S52 and S67	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:22
S70	0	((inject\$3 or insert\$3 or add\$3) adj1 prox\$3) same (application or program or class) and S67	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:24
S71	1	inject\$3 adj1 (proxy or proxies) same (runtime adj1 library)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:33

S72	149	(inject\$3 or add\$3 or insert\$3) adj1 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:34
S73	2	(client adj1 runtime adj1 library)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:35
S74	3657	(client adj1 runtime adj1 library) or (client adj1 program)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:35
S75	10	S72 and S74	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/28 17:41
S76	4938	(709/203).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:41
S77	267	rpc and S76	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 17:41
S78	98	(proxy or proxies) and S77	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 19:00
S79	10	"6393497"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 19:00
S80	10	"6393497"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/28 19:01

S81	48	((("5748897") or ("6018805") or ("5862328") or ("5903725") or ("6006230") or ("6230160") or ("5881230") or ("5920863") or ("6119161") or ("6141696") or ("6269373") or ("6272537") or ("6425017") or ("6430576") or ("6457065") or ("6542908") or ("6622175") or ("6820267") or ("6138148") or ("6098108") or ("5974566") or ("5996010") or ("6115384") or ("6119165") or ("6119247") or ("6182141") or ("6226689") or ("6226689") or ("6266701") or ("6304881") or ("6314451") or ("6317761") or ("6393475") or ("6446109") or ("6466967") or ("6477543") or ("6606708") or ("6661799") or ("6728884") or ("6779025") or ("6836889") or ("6209018") or ("5764750") or ("5793965") or ("5822521") or ("6012085") or ("6144996") or ("5511197") or ("5724588") or ("6108715").pn.)). PN.	USPAT	OR	OFF	2004/12/29 12:18
S82	303	(creat\$3 or inject\$3) with Proxies	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/29 12:19
S83	5	S81 and S82	USPAT	OR	OFF	2004/12/29 12:24
S84	49	("5852717" "5999986" "6085227" "6134583" "6185625" "6253253" "6272598" "6338117" "6339787" "6347342" "6385661" "6393497" "6434608" "6438652" "6487607" "6549955" "6615275" "6629128" "6633922" "6708223" "6813641" "6826763" "6014700" "5968138" "6038589" "6122627" "6134540" "6226637" "6226637" H001894 "6175876" "6336118" "6374308" "6397259" "6442620" "6457066" "6477527" "6629153" "6735771" "6751798" "6757747" "6782542" "6813629" "5923756" "6198824" "5907680" "5812819" "5892919" "5918013" "5935207").pn.	USPAT	OR	OFF	2004/12/29 12:24
S85	4	S82 and S84	USPAT	OR	OFF	2004/12/29 12:24

S86	13	(US-5613148-\$ or US-5881230-\$ or US-5903725-\$ or US-5920725-\$ or US-6230160-\$ or US-6385661-\$ or US-6430576-\$ or US-6618737-\$ or US-6629112-\$ or US-6629128-\$ or US-6708171-\$ or US-6728788-\$ or US-6803927-\$).did.	USPAT	OR	ON	2005/07/27 16:56
S87	12	S86 and (prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:56
S88	12	S86 and (proxies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:58
S89	0	S88 and (analyz\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:58
S90	0	S88 and (analyz\$3 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:58
S91	1	S88 and (analyz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 17:00
S92	7	S86 and ((creat\$3 or generat\$3 or produc\$3) near prox\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 17:05
S93	0	S92 and ((analyz\$3 or evaluat\$3 or exam\$3) near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 17:03
S94	1	S92 and (client with (run near time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 17:03
S95	22	("5903725").URPN.	USPAT	OR	ON	2005/07/27 17:26